

HIGH PRESSURE

LAMINATE



MADE IN NORWAY

Scandic-inspired quality p.8

ORIGINAL

An extended range of 43 contemporary designs **p.22**

GRAND AVENUE

Trends and technology come together **p.38**



The feeling of space is defined not only by volume, but above all by what you install on the floor. With BerryAlloc high pressure laminates, aesthetics combined with high technology have come of age. The design of these very durable floors breathes harmony and elegance. Their primary asset? They are the toughest on the market, winning prestigious contracts such as those for Heathrow Airport, or the Milan 2015 Universal Exhibition. BerryAlloc high pressure laminates are popular with architects who find they also work perfectly for private homes. The world of home décor has embraced them with enthusiasm. So turn the page to see what they can do for you.






BerryAlloc® offers a wide array of interior solutions for residential and commercial projects, ranging from laminate, vinyl and parquet floors to wall panels. The extensive BerryAlloc® product range has a lifetime warranty, is durable and meets current aesthetic and technical requirements: quality, variety of finishes, durability, longevity and ease of installation.

Guided by trends and the latest technological improvements, we strive to inspire and delight our customers. Discover our vinyl or laminate floors with a natural stone or wood look for your living room, bedroom, hallway, bathroom, kitchen or home office. Or choose a parquet floor for an authentic look and feel. BerryAlloc® is sure to have a stunning floor solution for every space.













CONTENTS

MADE IN NORWAY	8
Scandic-inspired quality	
MEET JOHN VONLI	12
Explore BerryAlloc solutions	
THE HIGH PRESSURE TECHNOLOGY	14
A peerless floor covering	
ORIGINAL COLLECTION	22
An extended range of 43	
contemporary designs	
GRAND AVENUE COLLECTION	38
On-trend collection for living it up	
GUIDE TO COLLECTIONS	50
Snapshot of the collections	
ACCESSORIES	52
A wide and easy-to-install range	J_



THE TOUGHEST
HIGH PRESSURE
LAMINATE IN
THE WORLD



BerryAlloc has been producing high-quality flooring since 1992. We revolutionized the floor industry in 1996 with the world's first glue-free locking system. Our floors are inspired by Scandinavia's nature, design and lifestyle. We place great emphasis on the floor's overall appearance and the combination of design and surface. BerryAlloc floors are renowned for their wonderful surfaces. Choose an OiledTouch to create a soft, inviting feeling or a deep WoodStructure for a vibrant surface. BerryAlloc floors are beautiful to look at, but the secret to our unique quality lies within: the aluminium locking system - the world's strongest locking system - that ensures a perfect installation every time. With a sound-absorbing underlay attached to the back of the floorboards and the AguaResist HDF core that prevents the floor from absorbing moisture.



BERRY=ALLOC°



INTERVIEW

QUESTIONS FOR JOHN VONLI, GENERAL MANAGER OF BERRYALLOC NORWAY



company with a history of change. Tell us about the highlights of the company's development. I think the turning point was in the 1980s, when floor cover- with zero-use of tropical timber. We ings really became popular. The Alloc have also improved our production floor was created in 1992, and in 1994 we began our environmental protection program. This was a really new initiative, because at that time, no one was systems are also rich in eco-friendly really bothered about environmental impact. In 2000, the company was bought by the Beaulieu International Group, and Let's talk about your Aluloc system. certificate and went global.

for the environment, innovation and perfecting the product, all three com-

You are the GM of BerryAlloc Norway, a bined. So, we were the first to manufacture floor and wall coverings with non-toxic glues or gas-releasing chemicals. We have a strict charter for wood, processes with the use of Norwegian hydro-electric power. In terms of our skills and know-how, our patented

in 2004, we gained our environmental Aluloc is revolutionary, an aluminium lock that tolerates unusally high loards (1200 kg/linear metre). With the smooth What is in the company's DNA? Respect fold down system it makes for a fast in-










ALUMINIUM LOCKING SYSTEM

ULTRA-TOUGH

The **ALULOC locking system**, in durable aluminium, provides a solid, sealed floor surface that copes easily with heavy traffic, and can **tolerate loads of up to 1200 kg per linear metre**, making this high pressure laminate flooring the **strongest on the market**.

The aluminium assembly system makes the high pressure laminate floor covering quick and easy to install, needing no special tools. A smooth, secure click-locking system, even on large format sheets. Attractive benefits for all kinds of projects, whether public areas or private homes. What's more, we are so confident about the durability of these floors that we offer a lifetime guarantee for residential projects.









HIGH PRESSURE LAMINATE

WHAT MAKES OUR LAMINATES DIFFERENT?







Maximum strength

Unequalled in their solid strength, BerryAlloc laminate floors tolerate high traffic, impacts of various kinds and heavy loads.

Strong lock

Our floors can be installed without expansion profiles over an area of 225 $\,\mathrm{m}^2$ or across a maximum length of 15 metres.

Revolutionary locking system

This efficient click-lock system is easy to install and secure.

Noise reduction

The Silent System, an acoustic underlay incorporated into our BerryAlloc laminates, cuts noise by more than 19 decibels.

Aquaresist

Aquaresist technology keeps moisture absorption.

Anti-static performance

Ensures a pleasant environment with less static charge.

100% sustainable development

Raw materials, manufacturing and production processes chosen to respect the environment.







HIGH PRESSURE

LAMINATE

Lifetime warranty

BerryAlloc high pressure laminate carries a lifetime warranty for residential premises, and a 10-year warranty for commercial premises. Ideal for all commercial, business and residential uses.

Top quality products

The solid, durable surface layer is pressed separately, and glued onto the coreboard. This process results in a surface that is significantly stronger and more durable than traditional laminate. With this kind of surface, these class 34/AC6 floors are extremely resistant to scratching and staining.

A wide selection of designs

Original: 43 designs Grand Avenue: 20 designs

Accessories suitable for all decors

For every type of floor, we offer accessories to suit your choice perfectly, so that your skirtings and T-profiles are perfectly matched.





WITHSTANDS CHEMICALS



EASY












HARD SURFACE

BERRY = ALLOC°



















ORIGINAL COLLECTION

FORMAT: 1207 L x 198 W x 9 + 2 T mm



JAN MAYEN ASH Ref: 62001376 Brushed 2 Bevels













LIGHT OAK

















Ref: 62001383





WoodStructure Oiled Touch 4 Bevels



ROCCA DI PAPA PINE







WHITE OILED ASH 3 STR Ref: 62001394 Oiled Touch O Bevels EAN-Code: 7052870167959





















43 DESIGNS

CLASS 34 - AC6













JACINTA OAK Ref: 62001399 Brushed 2 Bevels EAN-Code: 7052870168000









Ref: 62001385













CHICAGO ELM Ref: 62001361 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870167225

60 mm skirting T-Profile 2,4 m



BOGSTAD ASH Ref: 62001375 WoodStructure Oiled Touch 4 Bevels EAN-Code: 7052870167515





MIMOSA ASH 3 STR Ref: 62001395 Oiled Touch O Bevels EAN-Code: 7052870167966





BERLIN OAK Ref: 62001420 WoodStructure EAN-Code: 7052870168932





KALMAR OAK 3 STR Ref: 62001372 Satin O bevels EAN-Code: 7052870167447 60 mm skirting T-Profile 2,4 m

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

ORIGINAL COLLECTION

FORMAT: 1207 L x 198 W x 9 + 2 T mm



WHITE OILED OAK Ref: 62001359 Oiled Touch O Bevels EAN-Code: 7052870167201

60 mm skirting 9320-3675





Ref: 62001382 EAN-Code: 7052870167805

9320-4411





Ref: 62001391 WoodStructure Oiled Touch 2 Bevels WoodStructure Oiled Touch 0 Bevels EAN-Code: 7052870167928

T-Profile 2,4 m 9411-4592 9320-4592



Ref: 62001238 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870166945

9320-4471

T-Profile 2,4 m



SPRING OAK Ref: 62001357 EAN-Code: 7052870167188

60 mm skirting 9320-4491 9411-4491



CANYON LIGHT OAK Ref: 62001358 WoodStructure Oiled Touch 2 Bevels WoodStructure Oiled Touch 2 Bevels WoodStructure Oiled Touch 0 Bevels EAN-Code: 7052870167195

T-Profile 2,4 m 60 mm skirtir 9411-8520 9320-5522 9320-8520



SMOKED OAK 2 STR Ref: 62001390 EAN-Code: 7052870167904

9411-5522



SIENNA DOUGLAS Ref: 62001403 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870168048

60 mm skirting T-Profile 2,4 m 60 mm skirting T-Profile 2,4 m

1207 L x **198** W x **9** + **2** T mm **8 boards** = 1,91m² **36 boxes** = 68,83 m²

43 DESIGNS

CLASS 34 - AC6















SILVER OAK 2 STR Ref: 62001397 WoodStructure Oiled Touch 0 Bevels EAN-Code: 7052870167980





TRONDHEIM OAK Ref: 62001419 Woodstructure 2 Bevels EAN-Code: 7052870168918

9320-4471



LISTA OAK 2 STR



ANEGADA OAK Ref: 62001402 Brushed 2 Bevels EAN-Code: 7052870168031

60 mm skirting T-Profile 2,4 m





BOND OAK Ref: 62001380 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870167560 60 mm skirting T-Profile 2,4 m



Ref: 62001377 Brushed 2 Bevels EAN-Code: 7052870167539



COCKTAILS & DREAMS Ref: 62001378 WoodStructure Oiled Touch 2 Bevels Oiled Touch 0 Bevels EAN-Code: 7052870167546



FLY ME TO THE MOON Ref: 62001379 EAN-Code: 7052870167553

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

ORIGINAL COLLECTION

FORMAT: 1207 L x 198 W x 9 + 2 T mm



MALTA OAK Ref: 62001401 Brushed 2 Bevels EAN-Code: 7052870168024





ELEGANT SOFT GREY OAK Ref: 62001352 Oiled Touch 2 Bevels EAN-Code: 7052870167133





CASTILLO PINE Ref: 62001387 WoodStructure Oiled Touch 4 Bevels EAN-Code: 7052870167898





OLEANDER OAK 2 STR Ref: 62001389 WoodStructure Oiled Touch O Bevels EAN-Code: 7052870167911 60 mm skirting T-Profile 2,4 m



VOLARE OAK 2 STR Ref: 62001392 WoodStructure Oiled Touch O Bevels EAN-Code: 7052870167935





MANHATTAN OAK Ref: 62001360 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870167218





HOLLYWOOD & VINE Ref: 62001381 WoodStructure Oiled Touch 2 Bevels EAN-Code: 7052870167577



1207 L x 198 W x 9 + 2 T mm 8 boards = 1,91m² 36 boxes = 68,83 m²

43 DESIGNS

CLASS 34 - AC6













LIGHT OAK SHIPDECK Ref: 62001356 WoodStructure Oiled Touch Shipdeck EAN-Code: 7052870167171





Ref: 62001396







OILED TEAK SHIPDECK 2 STR BERGEN OAK SHIPDECK Ref: 62001393 Ref: 62001374 Oiled Touch Shipdeck **Brushed Shipdeck** EAN-Code: 7052870167942 EAN-Code: 7052870167508 60 mm skirting 9320-4862 T-Profile 2,4 m 9411-4862





Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen














GRAND AVENUE COLLECTION

FORMAT: 2410 L x 241 W x 10,3 + 2 T mm



LA RAMBLA Ref: 62000578 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164934





LA FAYETTE Ref: 62001083 Ref: 62000969 WoodStructure 4 Bevels Brushed 4 Bevels EAN code: 7052870166457 EAN code: 7052870166877 60 mm skirting T-Profile 2,4 m 60 mm skirting T-Profile 2,4 m

9320-4401



MAGNIFICENT MILE Ref: 62001044 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870166808





ROYAL MILE Ref: 62000564 Brushed 4 Bevels EAN code: 7052870164590 60 mm skirting T-Profile 2,4 m

63000754



KARL JOHAN Ref: 62001085 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870166914

63001985 63002003





CHAMPS ELYSÉES Ref: 62000559 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164552

60 mm skirting T-Profile 2,4 m 9320-8541 9411-8541

2410 L x **241** W x **10,3** + **2** T mm **4 boards** = 2,323 m² **39 boxes** = 90,606 m²

9411-4401

9320-8541



9411-8541



20 DESIGNS

CLASS 34 - AC6

















SUNSET BOULEVARD Ref: 62000561 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164569





RODEO DRIVE Ref: 62000566 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164613





KU'DAMM Ref: 62000562 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164576





POTSDAMER Ref: 62001023 WoodStructure 4 Bevels EAN code: 7052870166655 60 mm skirting T-Profile 2,4 m 9320-8520



VIA VENETO Ref: 62000567 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164620





EMBASSY ROW Ref: 62001084 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870166891

T-Profile 2,4 m 9320-4461 9411-4461



BROADWAY Ref: 62000563 WoodStructure Oiled Touch 4 Bevels EAN code: 7052870164583

9411-8530

60 mm skirting 9320-8530



MADISON AVENUE Ref: 62000568 WoodStructure 4 Bevels EAN code: 7052870164637

60 mm skirting T-Profile 2,4 m 4 63000758 63000764

GRAND AVENUE COLLECTION

FORMAT: 2410 L x 241 W x 10,3 + 2 T mm



ROUTE 66 60x24 cm Ref: 62001469 Rustic Stone 4 Bevels EAN code: 7052870169144





SKYLINE DRIVE 60x24 cm Ref: 62001470 Rustic Stone 4 Bevels


EAN code: 7052870169168

60 mm skirting T-Profile 2,4 m 63000765



HIGHWAY 60x24 cm Ref: 62001467 Stone Structure 4 Bevels EAN code: 7052870169106

60 mm skirting T-Profile 2,4 m



ATLANTIC HIGHWAY 240x24 cm Ref: 62001468 Oiled Touch 4 Bevels EAN code: 7052870169120

60 mm skirting T-Profile 2,4 m

20 DESIGNS **CLASS 34 - AC6**



















Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen



Guide to Collections

HIGH PRESSURE LAMINATE

Collections	ORIGINAL	GRAND AVENUE
Dimensions (mm)	198	241
	1207	2410
	9+2	10,3 + 2
Number of designs	43	20
Packaging Planks/box	8 planks 1,91 m²	4 planks 2,32 m ²
Box/pallet	36 boxes 68,83 m²	39 boxes 90,61 m ²
Ingenious locking system	HIGH TECH LOC (ALUMINIUM)	ALU LOC NEXT CEMERATION
Built-in underlay	SILENT SYSTEM	
Top layer	HIGH PRESSURE EXTREME DURANTE	
Classification	34 / AC6	
Warranty Residential & Commercial	LIFE TIME CUARANTEE RESIDENTIAL 10 YEARS GUARANTEE COMMERCIAL	



ACCESSORIES

A wide range of accessories, easy to install.



MOISTURE BARRIER

The Moisture Barrier underlay must always be used when installing BerryAlloc floor coverings over PVC, linoleum, ceramic tiles, cement and concrete surfaces.

Dimensions : 2600 x 10000 x 0,2 mm **Ref: WD158235**

WHITE SKIRTINGS

Leave white or paint to match the colour of the wall or another colour.



Modern skirting (100 mm) 2400 x 14 x 100 mm (L x W x T) Ref: 9372-3045



80 mm white skirting Installation: Glue or clips 2400 x 12 x 80 mm (L x W x H) Ref: 63001776



60 mm white skirting
Installation: Glue or clips
2400 x 12 x 60 mm (L x W x H)
Ref: 63001756



Quarter Round white 2400 x 14 x 14 mm (L x W x H) **Ref:** 63001736

MATCHING MDF-SKIRTING



60 mm skirting

The ideal solution for a stylish wall finish. $2400 \times 14 \times 60 \text{ mm}$ (L x W x T)



Clips for skirting

- For quick and simple installation of skirting,
- ideal when removing skirting for painting without causing damage to the wall.

Ref: 9310-0017

MATCHING MDF-PROFILES



2400 x 44 x 11,1 mm (L x W x T)

ALUMINIUM PROFILES



Reducer Profile Alu Silver 2000 x 39 x 9 mm (L x W x H) Ref: 63001107



T-Profile Alu Silver 2000 x 31 x 9 mm (L x W x H) **Ref: 63001103**



End Profile Alu Silver 2000 x 21 x 10 mm (L x W x H) Ref: 63001111





STARTER KIT ORIGINAL

The spacer blocks ensure the correct distance is maintained between the walls and floor during installation and the metal pull bar simplifies the installation of the final plank on each row.

Ref: WD180000



TAPPING BLOCK ORIGINAL

This is the ideal tool to use when installing BerryAlloc Original floors with their aluminium click system and prevents the click system from becoming distorted.

Ref: WD180003



LAMINATE CLEANER

The perfect maintenance for your laminate floor.

This antibacterial laminate cleaner is suitable for both first-time maintenance and regular use. Rinsing is not necessary.

Ref: LC1000

BerryAlloc has the right flooring for all domestic and public spaces. BerryAlloc offers a very wide choice of features and designs. Discover the full range at:

www.berryalloc.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printing 12/18. ENG: 11006323

Creation: www.lignedouze.com









BerryAlloc NV, Industrielaan 100 8930 MENEN - BELGIUM

Tel. +32 (0)56 67 66 11 info@berryalloc.com









